NEMSIS V3.5.0 Defined List: eSituation.11 – Provider's Primary Impression eSituation.12 – Provider's Secondary Impressions

Date

Current Revision: February 22, 2023

Previous Iterations: January 19, 2012 to July 05, 2016

Authors

N. Clay Mann – NEMSIS TAC P.I.
Julianne Ehlers – NEMSIS TAC Director
Cassie Longhart – NEMSIS TAC Data Analyst

Introduction

The Provider's Impression Defined List utilizes a two-tier choice hierarchy to make identifying and selecting appropriate values easier for EMS clinicians. The first tier represents a generic classification referred to as a "Parent Code". The second tier is a more specific impression referred to as the "EMS Description". That is followed by the related ICD-10-CM code and clinical ICD-10-CM description.

PARENT CODE	EMS DESCRIPTION	ICD-10	ICD-10 DESCRIPTION
Digestive	Blood in vomit or stool (GI bleed)	K92.2	Gastrointestinal hemorrhage, unspecified

EMS software implementing this list may provide an interface that first allows the clinician to choose a generic impression (Parent Code), and then provide more specific options (EMS Description) to efficiently reach final value choices.

Historical Context

The NEMSIS Version 2 Data Standard established a defined list of Provider Impressions. Feedback from stakeholders indicated that the list was not sufficient to clearly describe a field clinician's primary and subsequent impressions. NEMSIS Version 3 Data Standard allowed for a much broader range of impressions. Feedback from stakeholders indicated that the Data Standard now allowed for too broad of a range and the data collected were too detailed for efficient application by EMS clinicians.

The Defined Lists associated with the rollout of NEMSIS v3.5.0 were specifically populated to include codes applicable to greater than 90% of all patient care reports submitted to the National EMS database in 2017 through 2019.

Methodology

Utilizing data from the NEMSIS National Database, Primary Impressions listed on patience care reports were evaluated for recurrence and repetition. The assessment included 27,862,178 patient care reports within the time frame of 01/01/2017 through 06/25/2019 were evaluated.

The 2019 defined list (associated with NEMSIS V3.5.0) for Primary Impression represents a minimum of 90.53% of all Primary Impression codes submitted to NEMSIS during the time frame. The 2019 Defined List for Primary and Secondary Impressions includes 124 detailed options within 17 categories. (See Hierarchy Example for additional details.)

Defined List Value Range

The code list associated with eSituation.11 and eSituation.12 – Primary and Secondary Impressions represents a range of values found in the 10th revision of the International Classification of Diseases – Clinical Modification (ICD-10-CM).

The eSituation.11 and eSituation.12 Primary and Secondary Impressions Defined List can be accessed from the NEMSIS TAC website on the Version 3 Resources page: https://nemsis.org/technical-resources/version-3/version-3-resources/. The codes in the Provider Impressions Defined List are represented in the ICD-10-CM ranges listed in the table below.

The ICD-10-CM Code Range for inclusion in the NEMSIS Version 3.5 Provider Impressions:

C00–D48 Neoplasms D50–D89 Diseases of the	blood, blood-forming organs, disorders involving the immune mechanism itional and metabolic diseases
D50–D89 Diseases of the	
F00–F90 Endocrine nutr	itional and metabolic diseases
200 250 Endocrine, nati	
F00–F99 Mental and beh	avioral disorders
G00–G99 Diseases of the	nervous system
I00–I99 Diseases of the	circulatory system
J00–J99 Diseases of the	respiratory system
K00–K93 Diseases of the	digestive system
M00–M99 Diseases of the	musculoskeletal system and connective tissue
N00–N99 Diseases of the	genitourinary system
O00–O99 Pregnancy, child	birth and the puerperium
R00–R99 Symptoms, sign	s and abnormal clinical and laboratory findings, not elsewhere classified
S00–T98 Injury, poisoning	g and certain other consequences of external causes
V01–Y98 External causes	of morbidity and mortality
Z00–Z99 Factors influence	ing health status and contact with health services

Use of code digits that specify Treatment Encounter (initial encounter, subsequent encounter, and sequela) should be avoided (e.g.: T78.40**XA**: Allergy, unspecified, initial encounter should be described as T78.40: Allergy, unspecified).

ICD-10-CM: Licensed Code List

The U.S. National Library of Medicine provides access to the ICD-10-CM code values through the Unified Medical Language System (UMLS). An applicant must accept the terms of the UMLS Metathesaurus License and create a UMLS Terminology Services (UTS) account for access to UMLS datasets and terminology browsers. More information can be found at http://www.nlm.nih.gov/databases/umls.html.

The NEMSIS TAC may only distribute defined lists with specific value codes from the UMLS system to entities licensed through the UMLS system. Thus, each software developer must seek licensing and provide proof of licensing before gaining access to all of the pre-defined lists available through the NEMSIS TAC.

Hierarchy Example

EMS clinicians may choose a general classification (Parent Code) within the first tier of Provider Impressions to document a general impression of the patient condition. Multiple second tier choices (EMS Description) should then be made available to better define the pre-hospital patient encounter.

STEP 1: Select a general classification	STEP 2: Select a more precise description	
First Tier: Parent Code	Second Tier: EMS Description	
	Angina (pain related to heart) Arrhythmia	
	Cardiac arrest	
	Chest pain, NOS	
	Myocardial Infarction, NOS	
Cardiovascular	Heart failure	
	Hypertension	
	Hypotension	
	Non-STEMI	
	Other, unspecified CV disorder	
	STEMI	

Recurrence

eSituation.11 – Primary Impression is limited to a single data value. However, the clinician may enter as many data values as needed in eSituation.12 – Provider's Secondary Impressions.

Reference Material See the <u>NEMSIS v3.5.0 Data Dictionary</u> for additional technical specifics. <u>https://nemsis.org/technical-resources/version-3/version-3-data-dictionaries/</u> .				
P	age 4			