

Summary of Final Changes for describing Incident Dispositions for NEMESIS V3.5

NEMESIS V3.5.0 Split eDisposition.12 Work Group

[Final 02-12-2018]

Describing an EMS Event

- High level key descriptors of EMS events are intended to help service leaders, billers, state data managers, NEMSIS and other data stakeholders categorize and filter the events for more specific evaluation.
 - Once filtered and grouped the EMS events can be evaluated at a more detailed level using clinical and operational data in the record

Key Descriptors of EMS Events

- **Type of Service Requested**
 - Primarily 911 vs. Transfers
 - Other requests (e.g. Community Paramedicine)
- **Role/equipment capabilities of responding unit**
 - Non-Transport or Transport (Air or Ground)
 - Equipment available (ALS or BLS)
- **Disposition of the incident**

Describing Incident Disposition

- Was there a patient?
- If so, was the patient:
 - Treated?
 - By whom?
 - At what Level (ALS/BLS)?
- Was the patient transported?
 - By whom?
 - Who was in the transport vehicle?
- If the patient was either not treated, not transported or both- what else occurred?

eResponse.05 - Type of Service Requested

| eResponse.05 - Type of Service Requested | | | |
|--|---------------------|---|----------------------------------|
| Element Number | eResponse.05 | Element Name | Type of Service Requested |
| Element Status | No Change | Pertinent Negatives | No |
| National Element | Yes | NOT Values | No |
| State Element | Yes | is Nillable | No |
| Usage | Mandatory | Record Recurrence | 1:1 |
| Definition | | | |
| The type of service or category of service requested of the EMS Agency responding for this specific EMS event | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | None |
| Status | Code | Description | |
| Relabeled | 2205001 | Emergency Response (Primary Response Area) | |
| Relabeled | 2205003 | Emergency Response (Intercept) | |
| Relabeled | 2205009 | Emergency Response (Mutual Aid) | |
| Relabeled | 2205005 | Hospital-to-Hospital Transfer | |
| New | 22050xx | Hospital-to-Hospital Transfer (with Sending Hospital Staff) | |
| New | 22050xx | Hospital-to-Hospital Transfer (Critical or Specialty Care) | |
| Relabeled | 2205007 | Other Medical Needs Transport | |
| Relabeled | 2205011 | Public Assistance | |
| No Change | 2205013 | Standby | |
| New | 22050xx | Support Services | |
| New | 22050xx | Non-Patient Care Rescue / Extrication | |
| New | 22050xx | Crew Transport Only | |
| New | 22050xx | Transport of Organs or Body Parts | |
| New | 22050xx | Mortuary Services | |
| New | 22050xx | Mobile Integrated Health Care Evaluation or Visit | |
| New | 22050xx | Medical Evaluation for Referral/Intake | |
| New | 22050xx | Administrative Operations | |
| Data Element Comment: | | | |
| <p>Values for "911 Response (Scene)", "Intercept" and "Mutual Aid" have been relabeled to start with "Emergency Response" to more easily identify these options. "Interfacility Transport" was relabeled to "Hospital-to Hospital Transfer" to be more accurate; options for "Sending Hospital Staff" and Critical or Specialty Care" were added to better track resource utilization at local and state levels and support reimbursement levels. "Medical Transport" was relabeled to "Other Medical Needs Transport" to cover any other medical transports such as transports to and from dialysis, doctor appointments, return home or nursing homes. Values added to consolidate types of service previously captured in "Primary Role of Unit" and "eDisposition.12" as found in V3.4. Additional values added to reflect emerging service types.</p> | | | |
| Version 3 Changes Implemented: | | | |
| With the release of v3.5.0 values were added and relabeled to meet the needs of EMS. | | | |

eResponse.07 - Unit Transport and Equipment Capability

| eResponse.07 - Unit Transport and Equipment Capability | | | |
|--|---------------------|---|---|
| Element Number | eResponse.07 | Element Name | Unit Transport and Equipment Capability |
| Element Status | Relabeled | Pertinent Negatives | No |
| National Element | Yes | NOT Values | No |
| State Element | Yes | is Nillable | No |
| Usage | Mandatory | Record Recurrence | 1:1 |
| Definition | | | |
| The transport and equipment capabilities of the EMS Unit which responded to this specific EMS event. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | None |
| Status | Code | Description | |
| <i>Deprecate</i> | 2207003 | <i>Ground Transport</i> | |
| <i>Deprecate</i> | 2207005 | <i>Non-Transport Administrative Operations</i> | |
| <i>Deprecate</i> | 2207007 | <i>Non-Transport Support Services</i> | |
| <i>Deprecate</i> | 2207009 | <i>Non-Transport/Non-Patient Care Rescue</i> | |
| No Change | 2207011 | Air Transport-Helicopter | |
| No Change | 2207013 | Air Transport-Fixed Wing | |
| New | 22070xx | Ground Transport (ALS Equipped) | |
| New | 22070xx | Ground Transport (BLS Equipped) | |
| New | 22070xx | Ground Transport (Critical Care Equipped) | |
| New | 22070xx | Non-Transport-Medical Treatment (ALS Equipped) | |
| New | 22070xx | Non-Transport-Medical Treatment (BLS Equipped) | |
| New | 22070xx | Non-Transport-Medical Treatment (MIHC Equipped) | |
| New | 22070xx | Wheel Chair Van / Ambulette | |
| New | 22070xx | Non-Transport-No Medical Equipment | |
| Data Element Comment: | | | |
| Element relabeled from "Primary Role of Unit" to "Unit Transport and Equipment Capability" to better reflect its new defined purpose and allow the deprecation of eResponse.15 "Level of Care of This Unit". v3.4.0 Non-Transport values deprecated as these are types of service and were moved to eResponse.05 "Type of Service Requested". Values have been added to better capture transport capability and available equipment. These values should be tied to the capabilities and role of the unit and not reflect the level of providers responding to an event. | | | |
| Version 3 Changes Implemented: | | | |
| With the release of v3.5.0 values were deprecated, added, and relabeled to meet the needs of EMS. | | | |

eDisposition.xx - Level of Care Provided per Protocol

| [eDisposition.xx] - Level of Care Provided per Protocol | | | |
|---|-----------------|------------------------|-------------------------------------|
| Element Number | eDisposition.xx | Element Name | Level of Care Provided per Protocol |
| Element Status | New | Pertinent Negatives | No |
| National Element | Yes | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Required | Record Recurrence | 1:1 |
| Definition | | | |
| The general level of care provided to this patient as defined per provider level in local EMS protocols or clinical guidelines. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | Not Applicable, Not Recorded |
| Status | Code | Description | |
| New | 422xx0xx | BLS | |
| New | 422xx0xx | ALS | |
| New | 422xx0xx | Critical Care | |
| New | 422xx0xx | Integrated Health Care | |
| New | 422xx0xx | No Care Provided | |
| Data Element Comment: | | | |
| The level of care should be defined by the situation, medications and procedures provided to the patient based on what is allowed in the local EMS protocols. This definition can vary between regions; what may be allowed for BLS providers in one region may be considered ALS care in another. This is not a reflection of the provider levels providing care, but the actual care given-for example, BLS care provided by a paramedic would be entered as "BLS". This element benefits reviews of performance, resource demand and utilization and reimbursement coding. | | | |
| Version 3 Changes Implemented: | | | |
| Element added with the release of v3.5.0. | | | |

Deprecate eResponse.15 - Level of Care of This Unit

- **Deprecate** (remove/inactivate) **eResponse.15** (Level of Care of This Unit)-element provided provider level and capability to NEMESIS for research but provides little utility to Agencies and States as they all have access to data from eCrew.02-Crew Level.
- The Equipment level can now be captured in eResonse.07 “Unit Service Capability”
- The level of care provided can now be collected in eDisposition.27 “Level of Care Provided per Protocol”

| Code List | Existing v3.4.0 |
|-----------|----------------------------|
| Code | Description |
| 2215001 | BLS-First Responder/EMR |
| 2215003 | BLS-Basic /EMT |
| 2215005 | BLS-AEMT |
| 2215007 | BLS-Intermediate |
| 2215023 | BLS-Community Paramedicine |
| 2215009 | ALS-AEMT |
| 2215011 | ALS-Intermediate |
| 2215013 | ALS-Paramedic |
| 2215015 | ALS-Community Paramedicine |
| 2215017 | ALS-Nurse |
| 2215019 | ALS-Physician |
| 2215021 | Specialty Critical Care |

eSituation.13 - Initial Patient Acuity

| eSituation.13 - Initial Patient Acuity | | | |
|--|----------------|--|------------------------------|
| Element Number | eSituation.13 | Element Name | Initial Patient Acuity |
| Element Status | No Change | Pertinent Negatives | No |
| National Element | Yes | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Required | Record Recurrence | 1:1 |
| Definition | | | |
| The acuity of the patient's condition upon EMS arrival at the scene. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | Not Applicable, Not Recorded |
| Status | Code | Description | |
| No Change | 2813001 | Critical (Red) | |
| No Change | 2813003 | Emergent (Yellow) | |
| No Change | 2813005 | Lower Acuity (Green) | |
| No Change | 2813007 | Dead without Resuscitation Efforts (Black) | |
| New | 28130xx | Non-Acute / Routine | |
| Data Element Comment: | | | |
| <p>Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf</p> <p>Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.</p> <p>"Non-Acute / Routine" added for use with patients with no clinical issues-such as a refusal for a lift assist-or for routine transfers.</p> | | | |
| Version 3 Changes Implemented: | | | |
| With the release of v3.5.0 additional values were added to meet the needs of EMS. | | | |

eDisposition.19 - Final Patient Acuity

| eDisposition.19 - Final Patient Acuity | | | |
|---|-----------------|--|------------------------------|
| Element Number | eDisposition.19 | Element Name | Final Patient Acuity |
| Element Status | No Change | Pertinent Negatives | No |
| National Element | Yes | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Required | Record Recurrence | 1:1 |
| Definition | | | |
| The acuity of the patient's condition after EMS care. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | Not Applicable, Not Recorded |
| Status | Code | Description | |
| No Change | 4219001 | Critical (Red) | |
| No Change | 4219003 | Emergent (Yellow) | |
| No Change | 4219005 | Lower Acuity (Green) | |
| No Change | 4219007 | Dead without Resuscitation Efforts (Black) | |
| New | 42190xx | Non-Acute / Routine | |
| New | 42190xx | Dead WITH Resuscitation Efforts (Black) | |
| Data Element Comment: | | | |
| <p>Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf</p> <p>Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.</p> <p>"Non-Acute / Routine" added for use with patients with no clinical issues-such as a refusal for a lift assist-or for routine transfers. "Dead WITH Resuscitation Efforts (Black)" added for EMS units that arrived and provided resuscitation to a critical patient, but who was deceased at the end of the event (such as in a cardiac arrest).</p> | | | |
| Version 3 Changes Implemented: | | | |
| With the release of v3.5.0 additional values were added to meet the needs of EMS. | | | |

Deprecate

eDisposition.12 - Incident/Patient Disposition

- **Deprecate** (remove/inactivate) **eDisposition.12 (Incident/Patient Disposition)** – The element was used to capture too much information . Existing or new elements will clarify information related to the unit response, assessment, care, and transport of the patient.

- The information related to disposition of the incident/event response, patient care, and transport will be captured in three new elements:
 1. [eDisposition.28] - Patient Disposition
 2. [eDisposition.29] - Incident Disposition
 3. [eDisposition.30] - Transport Disposition

| Code List | Existing v3.4.0 |
|-------------|--|
| Code | Description |
| 4212001 | Assist, Agency |
| 4212003 | Assist, Public |
| 4212005 | Assist, Unit |
| 4212007 | Canceled (Prior to Arrival At Scene) |
| 4212009 | Canceled on Scene (No Patient Contact) |
| 4212011 | Canceled on Scene (No Patient Found) |
| 4212013 | Patient Dead at Scene-No Resuscitation Attempted (With Transport) |
| 4212015 | Patient Dead at Scene-No Resuscitation Attempted (Without Transport) |
| 4212017 | Patient Dead at Scene-Resuscitation Attempted (With Transport) |
| 4212019 | Patient Dead at Scene-Resuscitation Attempted (Without Transport) |
| 4212021 | Patient Evaluated, No Treatment/Transport Required |
| 4212023 | Patient Refused Evaluation/Care (With Transport) |
| 4212025 | Patient Refused Evaluation/Care (Without Transport) |
| 4212027 | Patient Treated, Released (AMA) |
| 4212029 | Patient Treated, Released (per protocol) |
| 4212031 | Patient Treated, Transferred Care to Another EMS Unit |
| 4212033 | Patient Treated, Transported by this EMS Unit |
| 4212035 | Patient Treated, Transported by Law Enforcement |
| 4212037 | Patient Treated, Transported by Private Vehicle |
| 4212039 | Standby-No Services or Support Provided |
| 4212041 | Standby-Public Safety, Fire, or EMS Operational Support Provided |
| 4212043 | Transport Non-Patient, Organs, etc. |

eDisposition.xx - Patient Disposition

| [eDisposition.xx] - Patient Disposition | | | |
|---|-----------------|---|---------------------|
| Element Number | eDisposition.xx | Element Name | Patient Disposition |
| Element Status | New | Pertinent Negatives | No |
| National Element | Yes | NOT Values | No |
| State Element | Yes | is Nillable | No |
| Usage | Mandatory | Record Recurrence | 1:1 |
| Definition | | | |
| The patient disposition for an EMS event identifying whether patient contact was made whether care or services were provided. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | None |
| Status | Code | Description | |
| New | 42xx0xx | Patient Contact-Evaluated and Care Provided | |
| New | 42xx0xx | Patient Contact-Evaluated, Refused Care | |
| New | 42xx0xx | Patient Contact-Evaluated, No Care Required | |
| New | 42xx0xx | Patient Contact Support | |
| New | 42xx0xx | No Patient Contact | |
| New | 42xx0xx | No Patient Encountered | |
| New | 42xx0xx | Non-Patient Contact Services | |
| New | 42xx0xx | Integrated Health Care or Services Provided | |
| Data Element Comment: | | | |
| Grouped with Incident and Transport Dispositions. Who provided care or services is defined in Incident Disposition. | | | |
| Version 3 Changes Implemented: | | | |
| Element added with the release of v3.5.0.. | | | |

eDisposition.xx - Incident Disposition

| [eDisposition.xx] - Incident Disposition | | | |
|---|------------------------|---|----------------------|
| Element Number | eDisposition.xx | Element Name | Incident Disposition |
| Element Status | New | Pertinent Negatives | No |
| National Element | Yes | NOT Values | No |
| State Element | Yes | is Nillable | No |
| Usage | Mandatory | Record Recurrence | 1:1 |
| Definition | | | |
| The incident disposition for an EMS event identifying who provided primary patient care or whether support services were required. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | None |
| Status | Code | Description | |
| New | 42xx0xx | Primary Care by THIS Agency | |
| New | 42xx0xx | Primary Care by ANOTHER Agency | |
| New | 42xx0xx | Primary Care Transferred to Another Agency | |
| New | 42xx0xx | Refused Care or Support Services | |
| New | 42xx0xx | Support Services Provided | |
| New | 42xx0xx | Support Services Not Required-Back in Service | |
| New | 42xx0xx | Canceled | |
| New | 42xx0xx | Patient Accepted and Transferred to Referral Agency | |
| New | 42xx0xx | Integrated Health Care Encounter Completed | |
| Data Element Comment: | | | |
| Grouped with Patient and Transport Dispositions. A "Referral Agency" is intended for use with specialty referral programs (such as "Safe Baby Haven", mental health or addiction or similar programs) where EMS provides an initial medical screening as part of the intake process for the various services or programs. | | | |
| Version 3 Changes Implemented: | | | |
| Element added with the release of v3.5.0. | | | |

eDisposition.xx - Transport Disposition

| [eDisposition.xx] - Transport Disposition | | | |
|---|------------------------|------------------------------------|------------------------------|
| Element Number | eDisposition.xx | Element Name | Transport Disposition |
| Element Status | New | Pertinent Negatives | No |
| National Element | Yes | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Required | Record Recurrence | 1:1 |
| Definition | | | |
| The transport disposition for an EMS event identifying whether a transport occurred and by which Unit. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | Not Applicable, Not Recorded |
| Status | Code | Description | |
| New | 42xx0xx | Transport in THIS Agency's Unit | |
| New | 42xx0xx | Transport in ANOTHER Agency's Unit | |
| New | 42xx0xx | Transport BY Another Agency's Unit | |
| New | 42xx0xx | Transport TO Another Agency's Unit | |
| New | 42xx0xx | No Transport | |
| New | 42xx0xx | Refused Transport | |
| Data Element Comment: | | | |
| Grouped with Patient and Incident Dispositions. Provides a rapid filter for transport or no transport for incident evaluation, business entry rules and Schematron rules. | | | |
| Version 3 Changes Implemented: | | | |
| Element added with the release of v3.5.0. | | | |

eOther.xx - Reason for Refusal or Release

| [eOther.xx] - Reason for Refusal or Release | | | |
|--|--------------|--|-------------------------------|
| Element Number | eOther.xx | Element Name | Reason for Refusal or Release |
| Element Status | New | Pertinent Negatives | No |
| National Element | No | NOT Values | No |
| State Element | No | is Nillable | No |
| Usage | Optional | Record Recurrence | 0:M |
| Definition | | | |
| Describes reason(s) for the patient's refusal of care or transport OR the EMS clinician's decision to release the patient. | | | |
| Values | | | |
| Value Entry | Multi-Select | NOT Values | None |
| Status | Code | Description | |
| New | 45xx0xx | Against Medical Advice | |
| New | 45xx0xx | Feels Ambulance Transport is not Medically Necessary | |
| New | 45xx0xx | Released Following Protocol Guidelines | |
| New | 45xx0xx | Transported by Law Enforcement | |
| New | 45xx0xx | Transported by Private Vehicle | |
| New | 45xx0xx | DNR | |
| New | 45xx0xx | Medical/Physician Orders for Life Sustaining Treatment | |
| Data Element Comment: | | | |
| This works in combination with the dispositions and signatures to provide general categories for the patient refusal. Specific legal refusal language should be developed by the agency's legal counsel and provided to the patient or guardian upon refusal per local policies. | | | |
| Version 3 Changes Implemented: | | | |
| Element added with the release of v3.5.0. | | | |

eSituation.xx - Justification for Transfer or Encounter

| [eSituation.xx] - Justification for Transfer or Encounter | | | |
|---|--------------------|---------------------|---|
| Element Number | eSituation.xx | Element Name | Justification for Transfer or Encounter |
| Element Status | New | Pertinent Negatives | No |
| National Element | No | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Recommended | Record Recurrence | 0:1 |
| Definition | | | |
| The ordering physician or medical provider diagnosis or stated reason for a hospital-to-hospital transfer, other medical transport, or Mobile Integrated Healthcare encounter. | | | |
| Values | | | |
| Value Entry | Text (Open Format) | NOT Values | Not Applicable, Not Recorded |
| Data Type | Min Length | Max Length | |
| String | 1 | 255 | |
| Data Element Comment: | | | |
| This is the diagnosis or reason for transfer, or medical transport or Integrated Healthcare Encounter provided by the ordering physician or medical provider. Hospital-to-hospital transfers and medical transports are based on the ordering medical provider, and not the EMS provider's impression. The text of the reason or diagnosis would be entered here rather than using the patient complaint field (as the patients may still have complaints to document), eSituation.11 "Provider's Primary Impression" or eSituation.12 "Provider's Secondary Impressions" . | | | |
| This element should only be documented when eResponse.05 - Type of Service Requested is (2205005) Hospital-to-Hospital Transfer, (2205015) Hospital-to-Hospital Transfer (with Sending Hospital Staff), (2205017) Hospital-to-Hospital Transfer (Critical or Specialty Care), (2205007) Other Medical Needs Transport, (2205029) Mobile Integrated Health Care Evaluation or Visit . A new national Schematron rule exists for this with v3.5.0. | | | |
| Version 3 Changes Implemented: | | | |
| This element is being added with the release of v3.5.0. | | | |

eSituation.xx – Reason for Transport

| [eSituation.xx] - Reason for Transport | | | |
|---|---------------|---|------------------------------|
| Element Number | eSituation.xx | Element Name | Reason for Transport |
| Element Status | New | Pertinent Negatives | No |
| National Element | Yes | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Required | Record Recurrence | 1:1 |
| Definition | | | |
| The general categories of the reason for a hospital-to-hospital transfer or other medical transport. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | Not Applicable, Not Recorded |
| Status | Code | Description | |
| New | 28xx0xx | Convenience Transfer (Patient Request) | |
| New | 28xx0xx | Diagnostic Testing | |
| New | 28xx0xx | Dialysis | |
| New | 28xx0xx | Drug and Alcohol Rehabilitation Care | |
| New | 28xx0xx | Extended Care | |
| New | 28xx0xx | Medical Specialty Care (Other, Not Listed) | |
| New | 28xx0xx | Neurological Specialty Care | |
| New | 28xx0xx | Palliative/Hospice Care (Home or Facility) | |
| New | 28xx0xx | Pediatric Specialty Care | |
| New | 28xx0xx | Psychiatric/Behavioral Care | |
| New | 28xx0xx | Physical Rehabilitation Care | |
| New | 28xx0xx | Return Home | |
| New | 28xx0xx | Surgical Specialty Care (Other, Not Listed) | |
| New | 28xx0xx | Trauma / Orthopedic Specialty Care | |
| Data Element Comment: | | | |
| This supports and works in combination with "[eSituation.xx] - Justification for Transfer or Encounter" to provide defined categories for a hospital-to-hospital transfer or other medical transport. This documentation provides support for reimbursement and a means for regions and states to evaluate transfer patterns and types. | | | |
| Version 3 Changes Implemented: | | | |
| Element added with the release of v3.5.0. | | | |

eDisposition.21 - Type of Destination

| eDisposition.21 - Type of Destination | | | |
|---|-----------------|--|------------------------------|
| Element Number | eDisposition.21 | Element Name | Type of Destination |
| Element Status | No Change | Pertinent Negatives | No |
| National Element | Yes | NOT Values | Yes |
| State Element | Yes | is Nillable | Yes |
| Usage | Required | Record Recurrence | 1:1 |
| Definition | | | |
| The type of destination the patient was delivered or transferred to. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | Not Applicable, Not Recorded |
| Status | Code | Description | |
| No Change | 4221001 | Home | |
| No Change | 4221003 | Hospital-Emergency Department | |
| No Change | 4221005 | Hospital-Non-Emergency Department Bed | |
| Relabel | 4221007 | Clinic | |
| No Change | 4221009 | Morgue/Mortuary | |
| <i>Deprecate</i> | 4221011 | <i>Nursing Home/Assisted Living Facility</i> | |
| No Change | 4221013 | Other | |
| No Change | 4221015 | Other EMS Responder (air) | |
| No Change | 4221017 | Other EMS Responder (ground) | |
| No Change | 4221019 | Urgent Care | |
| No Change | 4221021 | Freestanding Emergency Department | |
| New | 42210xx | Dialysis Center | |
| New | 42210xx | Diagnostic Services | |
| New | 42210xx | Assisted Living Facility | |
| New | 42210xx | Mental Health Facility | |
| New | 42210xx | Nursing Home | |
| New | 42210xx | Other Recurring Care Center | |
| New | 42210xx | Physical Rehabilitation Facility | |
| New | 42210xx | Drug and Alcohol Rehabilitation Facility | |
| Data Element Comment: | | | |
| Required if Patient Transported by EMS. | | | |
| Version 3 Changes Implemented: | | | |
| With the release of v3.5.0 additional values were added to meet the needs of EMS. | | | |

dFacility.01 - Type of Facility

| dFacility - Type of Facility | | | |
|---|----------------|--|------------------|
| Element Number | dFacility.01 | Element Name | Type of Facility |
| Element Status | No Change | Pertinent Negatives | No |
| National Element | No | NOT Values | No |
| State Element | No | is Nillable | No |
| Usage | Optional | Record Recurrence | 0:1 |
| Definition | | | |
| The type of facility (healthcare or other) that the EMS agency transports patients to or from. | | | |
| Values | | | |
| Value Entry | Single-Select | NOT Values | None |
| Status | Code | Description | |
| No Change | 1701001 | Assisted Living Facility | |
| No Change | 1701003 | Clinic | |
| No Change | 1701005 | Hospital | |
| No Change | 1701007 | Nursing Home | |
| No Change | 1701009 | Other | |
| No Change | 1701011 | Urgent Care | |
| Relabel | 1701013 | Physical Rehabilitation Facility | |
| No Change | 1701015 | Mental Health Facility | |
| No Change | 1701017 | Dialysis Center | |
| New | 17010xx | Diagnostic Services | |
| New | 17010xx | Freestanding Emergency Department | |
| New | 17010xx | Morgue/Mortuary | |
| New | 17010xx | Police/Jail | |
| New | 17010xx | Other EMS Responder (air) | |
| New | 17010xx | Other EMS Responder (ground) | |
| New | 17010xx | Other Recurring Care Center | |
| New | 17010xx | Drug and Alcohol Rehabilitation Facility | |
| Data Element Comment: | | | |
| | | | |
| Version 3 Changes Implemented: | | | |
| With the release of v3.5.0 additional values were added to meet the needs of EMS. Reconciled the health care facility descriptions to match those in eDisposition.21 - Type of Destination. | | | |

Try Them Out...

- A test site has been set up to try out the workflow and compare it to the current eDisposition.12.
- The site can be accessed at:
 - <https://www.nhtemsis.org/Elite>
 - Username is “eDisposition.12”
 - Password is “eDisposition.12” (case sensitive)
- An additional supporting document is available with the link and directions to create a test record.

Thanks to the eDisposition.12 Work Group Members

| | |
|-------------------|--|
| Chip Cooper | State of New Hampshire, Bureau of EMS |
| Chris Handley | US Navy F&ES Integration |
| David Saylor | MEDIVIEW by Beyond Lucid |
| Doug Fuller | State of Nebraska, DHHS, EHS |
| Jeff Robertson | EMS PIC |
| Joe Corley | Virginia Beach Dept of EMS |
| Juan Esparza | State of Florida, Bureau of EMS |
| Laurent Repass | Orange County EMS |
| Mark Roberts | State of California, EMS Authority |
| Martin Lansdale | State of Oklahoma, OSDH, Emergency Systems |
| Michelle Johnson | State of Delaware, Office of EMS |
| Phil Cappitelli | ImageTrend |
| Robert McClintock | International Association of Fire Fighters |
| Ryan Mach | Intermedix |
| Vince Rodriguez | Golden Hour Data Systems |